	MAX LEVY AUTOGRAPH, INC. PROPRIETARY	DATE	SYM	REVISION RECORD	AUTH	DR	СК
	THIS DRAWING CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS MAX LEVY AUTOGRAPH, INC. PROPERTY. DO NOT DISCLOSE NOR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY MAX LEVY AUTOGRAPH, INC.						
					·		

NOTES:

1. SUBSTRATE: 1/8" NOMINAL OPAL GLASS.

2. FLATNESS: <0.1 MM

3. OPTICAL QUALITY: SCRATCH:DIG 40:20

4. COATING: LOW REFLECTION CHROMIUM FIRST SURFACE. CHROMIUM ADHESION LAYER WITH A TOP LAYER OF CHROMIUM OXIDE, OPTICAL DENSITY > 3.0. COATING DESIGNED TO PROVIDE REFLECTION < 5% @ 550 NM.


5. EDGES: BREAK SHARP EDGES. NO VISIBLE EDES CHIPS > 0.25 MM DIAMETER

6. TARGET IS SIZED TO FIT GARY PLASTIC PART NO. G-1590 (4 1/16" X 4 1/16" X 5/8") WITH TWO FOAM INSERTS.

7. CERTIFICATION: N.I.S.T. TRACEABLE CERTIFICATE OF ACCURACY IN COMPLIANCE WITH MIL-STD 45662A ON A SEPARATE 8.5" X 11.0" PAGE ENCLOSED IN A #10 ENVELOPE WITH IDENTIFYING PART NUMBER AND SERIAL NUMBER

8. TARGET PATTERNS: OVERALL ACCURACY +/-0.002MM.

SQUARE LENGTH	DOT DIAM.	DOT SPACING
CENTER TO CENTER	MM	MM
50.00	1.00	2.00
34.00	0.50	1.00
20.00	0.25	0.50
10.00	0.125	0.25
5.00	0.0625	0.125



MLO STOCK N	IUMBER DA073	EDMUNDS PN 58-774							
TOLERANCES (EXCEPT AS NOTED)									
DECIMAL .XXX = ±.005 .XX = ±.015 .X = ±.030	OPAL GLASS	NONE	DRAWN BY DSM APPROVED BY SS						
FRACTIONAL ±.030	TARGET GRID DISTORTION ON OPAL GLASS								
ANGULAR ±.5°	5/25/06 DRAWING NUMBER 300MLA0145-001								